FINEST QUALITY LINERS

and

SPECIMEN STOCK



and

Spring 1958



Wholesale Only



Deerfield Nurseries

BOX 32 DEERFIELD, N. J.

GENERAL INFORMATION

TELEPHONE: BRIDGETON 9-0223-R-3

We are located on Rt. 77 in the center of Deerfield almost on the corner at blinker light.

We are open for business on week days from 7 A.M. until 4:30 P.M. Saturdays until 12 Noon.

CLOSED SUNDAYS.

All stock is inspected by N. J. Dept. of Agriculture and certificate is attached to each shipment.

Prices are F.O.B. Deerfield. Subject to crop.

Usual trade terms as adopted by the A. A. of N. Express orders carefully packed in light packing, no charge for packing.

Twenty Acres of the Highest Grade of Nursery Stock.

Members of A. A. of N.

N. J. Assn. of N.

LINING-OUT LIST

ALL STOCK BARE-ROOT EXCEPT AZALEAS

ACER Pal.

| Atro. Bloodgood, the best Jap. re | d Maple | | |
|---|-----------------|----------------|-----------------|
| | p. 10 each | p. 100 each | p. 1000 each |
| 1 yr. grafts 6-9'' 1 yr. grafts 9-12'' | \$1.10 1.25 | \$1.00 1.10 | \$.90 1.00 |
| 2 yr. grafts 10-12" branched | 1.50 | 1.35 | 1.25 |
| 3 yr. grafts 12-15" branched | 2.00 | 1.85 | 1.75 |
| Atro. Novum, brilliant red leaves | | | |
| 1 yr. grafts 6-9" | 1.00 | .85 | .75 1.00 |
| 2 yr. grafts 9-12" 3 yr. grafts 12-15" branched hea | 1.25 vy 1.60 | 1.15 | |
| Atro. Seedling good red | | | |
| 2 yr. seedlings 6-10'' | .50 | .40 | .35 |
| 2 yr. seedlings 10-15" | .80 | | .50 |
| Dissectum, cutleaf Maple | | | |
| 2 yr. grafts 8-12" | 1.50 | 1.25 | |
| 3 yr. grafts 12-15" | 2.00 | 1.75 | |
| AZALEAS hardy varieties | | | |
| Coral Bells, pink | | | |
| 2 1/4" benchgrown, ready May 10th | n .25 | .20 | .171/2 |
| 2 yr. tr. pl. 6-8" 2 yr. tr. pl. 8-10" | .80 1.00 | .70 .90 | .60 .80 |
| - 70 m pm | | | |
| Hinodegiri, red | | | |
| 21/4" benchgrown, ready May 10t | h .25 | .20 | .171/2 |
| 1 yr. tr. pl. 4-6'' 2 yr. tr. pl. 6-8'' | .50 .80 | .45 .70 | .40 .60 |
| 2 yr. tr. pl. 8-10'' | 1.00 | .90 | .80 |
| 3 yr. tr. pl. 10-12" | 1.35 1.75 | 1.25 | 1.15 1.50 |
| 3 yr. tr. pl. 12-15" | 1.75 | 1.00 | 1.50 |
| Snow, white | | | 171/ |
| 2¼'' benchgrown, ready May 10t | h .25 | .20 | .171/2 |
| Kaempferi Hybrids, very hardy Carmen, large rose | | | |
| 1 yr. tr. pl. 4-6" | .50 | .45 | .40 |
| 2 yr. tr. pl. 6-8" | .80 | .70 | .60 |
| 2 yr. tr. pl. 8-10" 3 yr. tr. pl. 10-12" | 1.00 1.35 | .90 1.25 | .80 1.15 |
| 3 yr. tr. pl. 12-15" | 1.75 | 1.60 | 1.60 |
| | | | |

| | p. 10 | p. 100 | |
|---|--------------|-------------|--------------|
| Cleopatra, late pink | each | each | each |
| 2 yr. tr. pl. 6-8'' 2 yr. tr. pl. 8-10'' | .80 1.00 | .70 .90 | |
| 3 yr. tr. pl. 10-12" | 1.35 | 1.25 | 1.15 |
| | | | |
| Fedora, large clear pink | | | |
| 2 1/4" benchgrown, ready May 10th 1 yr. tr. pl. 4-6" | .25 | .20 .45 | .40 |
| 2 yr. tr. pl. 6-8" | .80 | .70 | .60 |
| 2 yr. tr. pl. 8-10" | 1.00 | .90 | .80 |
| Deerfield Hardy Hybrids, new Frigid, pure white | | | |
| 2 1/4" benchgrown, ready May 10th | | .25 | .20 |
| 1 yr. tr. pl. 4-6" 2 yr. tr. pl. 6-8" | .75 1.00 | .60 .85 | .50 .75 |
| 2 yr. tr. pl. 8-10" | 1.25 | 1.10 | |
| | | | |
| Mad. Butterfly, large white flushed lavender | | | |
| 2 1/4" benchgrown, ready May 10th | | .25 | .20 |
| 2 yr. tr. pl. 8-10" 3 yr. tr. pl. 10-12" | 1.00 1.35 | .90 1.25 | .80 1.15 |
| 3 yr. tr. pl. 12-15" | 1.75 | 1.60 | 1.50 |
| Pales high around | | | |
| Polar, hinh orange 2 1/4 " benchgrown, ready May 10th | .30 | .25 | .20 |
| 2 yr. tr. pl. 8-10" | 1.00 | .90 | .80 |
| Nome, pink, very hardy 2 1/4" benchgrown, ready May 10th | .30 | .25 | .20 |
| Zero, pure white | | | |
| 2 1/4 " benchgrown, ready May 10th | .30 | .25 | .20 |
| 2 yr. tr. pl. 6-8" 2 yr. tr. pl. 8-10" | .90 1.15 | .80 1.00 | .70 .90 |
| 2 yr. n. pr. 6-10 | 1.15 | 1.00 | .90 |
| BERBERIS | | | |
| Juliana, evergreen | | | |
| 2½" rose pots 4-6" ready Spring | | .30 | .25 |
| 2 yr. tr. pl. 6-8" 3 yr. tr. pl. 8-10" | .55 .65 | .45 .55 | .35 .45 |
| 3 yr. tr. pl. 10-12" | .85 | .75 | .65 |
| 3 yr. tr. pl. 12-15" | 1.25 | 1.15 | 1.00 |
| CORNUS, red flowering Dog | wood | | |
| Fl. Rubra, extra deep red | | | |
| 1 yr. grafts 12-18" 2 yr. grafts 18-24" | 1.00 | .85 1.10 | .75 |
| 2 yr. grafts 24-30" | 1.75 | 1.60 | 1.00 1.50 |
| 1 yr. from buds 18-24" heavy, straight, br. | 1.50 | 1.35 | 1.25 |
| 1 yr. from buds 12-18" | 1.25 | 1.10 | 1.00 |
| Florida, seedlings, white 1 yr. budding size | | | 40.00 |
| 77. bodding size | | | 40.00 |

| ILEX | | p. 10 | | p. 1000 |
|---|---------------|--------------|---------------------|--------------|
| Aqui. Jan v Tol | | each | each | each |
| 1 yr. tr. pl. 6-8" | | .50 | .40 | .35 |
| 1 yr. tr. pl. 8-10'' | | .60 | .50 | .45 |
| Crenata, Jap Holly | | | | |
| 1 yr. tr. pl. 4-6" | | .45 | .35 | .30 |
| 2 yr. tr. pl. 8-10'' 2 yr. tr. pl. 10-12'' | | .60 .85 | .50 .75 | |
| | | | | |
| Crenata, Convexa Bulla 1 yr. tr. pl. 4-6" | Ta | .35 | .30 | .25 |
| 2 yr. tr. pl. 8-10" | | .55 | .45 | .40 |
| 2 yr. tr. pl. 10-12" | | .75 | .65 | .60 |
| Glabra | | | | |
| 1 yr. tr. pl. 8-10" | | .35 | .25 | |
| | | | | |
| JUNIPER | | | | |
| Pfitzeriana | | | | |
| 2 yr. tr. pl. 8-10" | | .45 | .35 | |
| 3 yr. tr. pl. 10-12" | | .60 | .50 | |
| Stricta | | 1000 | GI-GI IN | |
| 2 yr. tr. pl. 8-10" 3 yr. tr. pl. 10-12" | | .45 .65 | .35 .55 | |
| 5 yr. II. pi. 10-12 | | .03 | .55 | |
| LILACS | | | | |
| Chas. Joly, d. red; Kat Miss Ell. Willmott, d. w pink; Pres. Grevy, d. b s. reddish; | hite; Montaig | ne, d. | | |
| 1 yr. grafts | | .30 .50 | .27½ .40 | .25 |
| 2 yr. grafts 10-12" | | .50 | .40 | .55 |
| MAGNOLIA | | | | |
| Glauca, white flowers | in June | | | |
| 4 yr. tr. pl. 15-18" | | 1.15 | 1.00 | |
| Soulangeana, saucer M | Nag. | | | |
| 1 yr. tr. pl. grafts 12 | -18'' | 1.00 | .85 | .75 |
| 2 yr. tr. pl. grafts 15 2 yr. tr. pl. grafts 18 | -18" | 1.25 1.75 | 1.10 | 1.00 |
| 3 yr. tr. pl. grafts 24 | -30" | 2.00 | 1.85 | 1.75 |
| Soul. Nigri, deep purp | | | | |
| 1 yr. tr. pl. grafts 8- | | 1.00 | .85 | .75 |
| 2 yr. tr. pl. grafts 12 | -15'' | 1.25 | 1.10 | 1.00 |
| 3 yr. tr. pl. grafts 15 | -18'' | 1.75 2.00 | 1.60 1.85 | 1.50 1.75 |
| 3 yr. tr. pl. grafts 18 | - 2-7 | 2.00 | 1.00 | , 5 |
| Stellata, Star Mag. | | 1.00 | 0.5 | 75 |
| 1 yr.tr. pl. 8-12" 2 yr. tr. pl. grafts 12 | -15" | 1.00 1.25 | .8 <i>5</i> 1.10 | .75 1.00 |
| 2 yr. tr. pl. grafts 15 | -18" | 1.75 | 1.60 | 1.50 |
| | | | | |
| RETINOSPORA | | | | |

.35 .50

Obtusa Crippsi
1 yr. tr. pl. 4-8"
2 yr. tr. pl. 8-12"

| Plumosa Aurea | | p. 10 each | p. 100 each | p. 1000 each |
|--|----------|---------------|----------------|-----------------|
| 2 yr. tr. pl. 6-10" 3 yr. tr. pl. 10-15" | | .40 .55 | .30 .45 | .25 |
| TAXUS | | | | |
| Cuspidata, spreading | | | | |
| 1 yr. tr. pl. 6-8" | | .25 | .18 | .15 |
| 2 yr. tr. pl. 8-10'' | | .45 | .40 | .35 |
| 3 yr. tr. pl. 10-12" 3 yr. tr. pl. 12-15" | heavy | .65 1.00 | | .50 .75 |
| Hicksi | | | | |
| 1 yr. tr. pl. 6-8" | | .25 | .18 | .15 |
| 2 yr. tr. pl. 8-10" | | .45 | .40 | .35 |
| 3 yr. tr. pl. 10-12" 3 yr. tr. pl. 12-15" | heavy | .65 1.00 | .55 .85 | .50 .75 |
| | | 1.00 | .03 | ., 5 |
| Brev. Intermedia very | compact | 0.5 | 10 | 1.5 |
| 1 yr. tr. pl. 6-8" 2 yr. tr. pl. 8-10" | | .25 .45 | .18 | .15 .35 |
| 3 yr. tr. pl. 10-12" | | .65 | .55 | .50 |
| 3 yr. tr. pl. 12-15" | heavy | 1.00 | .85 | .75 |
| THUYA | | | | |
| Occ. Nigri, deep gree | en | | | |
| 2 yr. tr. pl. 10-12" | | .50 | .40 | .35 |
| 3 yr. tr. pl. 12-15" | | .65 | .55 | .50 |
| 3 yr. tr. pl. 15-18" 4 yr. tr. pl. 18-24" | | .90 1.25 | .80 1.10 | .75 1.00 |
| Occ. Pyramidalis | | | 91 11 - | |
| 2 yr. tr. pl. 12-15" | | .50 | .40 | .35 |
| 3 yr. tr. pl. 15-18" | | .65 | .55 | .50 |
| 3 yr. tr. pl. 18-24" | | .90 | .80 | .75 |
| Occ. Spiralis | | | | |
| 4 yr. tr. pl. 18-24" 4 yr. tr. pl. 24-30" | | .90 | .75 1.00 | |
| Woodward, globe | | | 1.00 | |
| | | | | |
| 2 yr. tr. pl. 8-10" 3 yr. tr. pl. 10-12" | | .50 .65 | .40 .55 | .35 |
| 3 yr. tr. pl. 12-15" | | .75 | .65 | .60 |
| FROM THE | GREEN | HOUSE — | SPRING | 1958 |
| | | | | |
| ACER | | | | |
| Pal. Atro. Bloodgood | 1 22 1 | | | |
| bench grafts 2 1/2" re | | .90 | .80 | .75 |
| CORNUS | , 5.0 | | Alex | .,3 |
| | | | | |
| Fl. Rubra | | , - | - 3 | |
| bench grafts $2\frac{1}{2}$ " recuttings $2\frac{1}{2}$ " rose p | ose pots | .65 .60 | .55 .50 | .50 |
| 72 · 130 p | | | .50 | .43 |

SPECIMEN LIST

ALL STOCK B & B

| Λ | | 1.7 | \mathbf{R} |
|----|---|-----|--------------|
| 17 | U | 1 | T |

| ACER | p. 10 each | p. 100 each |
|--|---------------|----------------|
| Atro. Bloodgood, the best Jap. red Maple | | |
| 12-15" | \$2.25 | \$2.00 |
| 15-18'' | 3.00 | 2.75 |
| 18-24'' | 3.75 | 3.50 |
| | | |
| Atro. Novum, deep red Jap. Maple | | |
| 12-15" | 2.00 | 1.75 |
| 15-18'' | 2.75 | 2.50 |
| 18-24" | 3.25 | 3.00 |
| | | |
| Atro. seedling, good color | | |
| 12-15" | 1.50 | 1.25 |
| 15-18" | 2.25 | 2.00 |
| 18-24'' | 2.75 | 2.50 |
| | | |
| | | |
| AZALEAS | | |
| Coral Bells, coral pink | | |
| 6-8'' | .75 | .60 |
| 8-10'' | 1.00 | .80 |
| 10-12'' | 1.50 | 1.25 |
| 12-15'' | 1.75 | 1.60 |
| 15-18'' | 2.50 | 2.25 |
| Hinodegiri, red | | |
| 6-8'' | .75 | .60 |
| 8-10'' | 1.00 | .80 |
| 10-12'' | 1.50 | 1.25 |
| 12-15'' | 1.75 | 1.60 |
| 15-18'' | 2.50 | 2.25 |
| 18-21'' | 3.25 | 3.00 |
| Pink Pearl, shell pink | | |
| 10-12" | 1.50 | 1.25 |
| 12-15'' | 1.75 | 1.60 |
| Snow, white | | |
| | 1.50 | 1.35 |
| 10-12'' | | 1.75 |
| 12-15'' | 2.00 2.75 | 2.50 |
| 15-18'' | 2.73 | 2.50 |
| | | |
| AZALEAS Kaempferi Hybrids | | |
| Carmen, large rose | | |
| 10-12'' | 1.25 | 1.00 |
| 12-15'' | 1.75 | . 1.50 |
| 15-18'' | 2.25 | 2.00 |
| | | |
| Cleopatra, pink late | | |
| 10-12'' | 1.25 | 1.00 |
| 12-15'' | 1.75 | 1.50 |
| 15-18'' | 2.25 | 2.00 |
| Fedora, large pink | | |
| 10-12'' | 1.25 | 1.00 |
| 12-15'' | 1.75 | 1.50 |
| 15-18'' | 2.25 | 2.00 |
| 18-21'' | 2.75 | 2.50 |
| | 3.50 | 3.00 |
| 21-24'' | 3.30 | 3.00 |

| Mikado, red | p. 10 each | p. 100 each |
|---|----------------------|----------------------|
| 10-12" 12-15" 15-18" | 1.25 1.75 2.50 | 1.00 1.50 2.25 |
| Deerfield Hardy Hybrids, our own originations | | |
| Frigid, white | 1.15 | 7.00 |
| 8-10'' 10-12'' | 1.15 1.50 | 1.00 |
| 12-15'' 15-18'' | 2.00 2.50 | 1.75 2.25 |
| Iceberg, large white | | |
| 10-12'' 12-15'' | 1.50 2.00 | 1.35 |
| 15-18" | 2.50 | 2.25 |
| 18-21'' | 3.50 | 3.00 |
| Iceland, large white tinted lavender | | . 0.5 |
| 10-12'' 12-15'' | 1.50 2.00 | 1.35 1.75 |
| 15-18'' | 2.50 | 2.25 |
| Zero, pure white | | |
| 8-10'' 10-12'' | 1.15 1.50 | 1.00 1.35 |
| 12-15'' | 2.00 | 1.75 |
| Mad. Butterfly, white flushed lavendar | | |
| 8-10'' | 1.00 | .80 |
| 10-12'' 12-15'' | 1.25 1.75 | 1.00 1.50 |
| 15-18'' | 2.25 | 2.00 |
| Nome, clear pink | | |
| 15-18'' 18-21'' | 2.50 3.25 | 2.25 3.00 |
| | 3.23 | 3.00 |
| Polar, orange hose in hose | .75 | .60 |
| 8-10'' | 1.00 | .80 |
| 10-12'' | 1.50 | 1.25 |
| BERBERIS | | |
| Juliana, | | |
| 10-12" | 1.25 | 1.00 |
| 12-15'' 15-18'' | 1.50 2.00 | 1.35 1.75 |
| Verruculosa, | | |
| 8-10'' | 1.25 | 1.00 |
| 10-12'' | 1.75 | 1.50 |
| CORNUS | | |
| Fl. Rubra, deep red | | |
| 2-21/2' | 2.00 | 1.75 |
| 2½-3' 3-4' | 3.00 4.00 | 2.50 3.50 |
| Fl. Albe Pleno, double white | | |
| 3-4' | 4.00 | 3.50 |
| 4-5' | 5.50 | 5.00 |

| ILEX | p. 10 each | p. 100 each |
|--|--------------------------------------|--------------------------------------|
| Glabra, inkberry 1 ½-2' 2-2 ½' 2 ½-3' 3-3 ½' | 1.25 2.00 2.50 3.50 | 1.00 1.75 2.25 3.00 |
| East Palatka, 2-2 ½' 2 ½ -3' 3-3 ½' | 2.50 3.25 3.75 | 2.25 3.00 3.50 |
| Opaca, female, American Holly 6-7'; 7-8'; 8-9'; Specimen, prices on application Penduculosa, male | | |
| 3-4' | 3.50 | 3.00 |
| JUNIPER | | |
| Pfitzeriana, 15-18'' 18-21'' 21-24'' | 2.00 2.50 3.00 | 1.75 2.25 2.75 |
| Stricta, Greek Jun. 12-15'' 15-18'' 18-21'' 21-24'' | 1.25 1.50 2.00 2.50 | 1.00 1.25 1.75 2.25 |
| LILACS | | |
| Chas. Joly, d. red; Ellen Willmott, d. white 18-24'' bare-root | .60 | .50 |
| MAGNOLIA | | |
| Clauca, sweetbay 2-2 ½' 2 ½-3' 3-3 ½' 3-4' 4-5' | 1.75 2.50 3.50 4.00 5.00 | 1.50 2.25 3.00 3.50 4.50 |
| Soulangeana, Saucer Mag. 2-3' 3-4' | 2.00 3.00 | 1.75 2.75 |
| Soul. Lennei, deep purple 2-2½' 2½-3' | 2.25 3.00 | 2.00 2.75 |
| Soul. Nigri, deep purple 2-3' 3-4' | 2.00 3.00 | 1.75 2.75 |
| Stellata, Star Mag. 2-2 ½' 2 ½ -3' | 2.25 2.75 | 2.00 2.50 |

| RHODO | DENDRON | p. 10 each | p. 100 each |
|--------------------|--------------------------------|---------------|----------------|
| Roseum Ele | egans, rosy lilac | | |
| 12-15'' | | 2.00 | 1.75 |
| 15-18'' 18-21'' | | 3.00 3.75 | 2.50 3.25 |
| 111 | | 0., 0 | 0.20 |
| | E. S. Rand, etc. red varieties | 2.00 | 2.75 |
| 12-15'' 15-18'' | | 3.00 3.50 | 2.75 3.25 |
| 18-21'' | | 4.50 | 4.00 |
| TAXUS | | | |
| Cuspidata, | spreading | | |
| 12-15'' | | 2.00 | 1.75 |
| 15-18'' | | 2.50 | 2.25 |
| Brev. Intern | nedia, spreading, very dense | | |
| 12-15'' | | 2.00 | 1.75 |
| 15-18'' | | 2.50 | 2.25 |
| Fastigiata, | upright | | |
| 12-15'' | | 2.00 | 1.75 |
| 13-10 | | 2.50 | 2.25 |
| Hicksi, upri | ght | | |
| 12-15'' 15-18'' | | 2.00 2.50 | 1.75 2.25 |
| | | 2.50 | 2.25 |
| | ata, upright | | |
| 24-30'' 30-36'' | | 2.75 4.00 | 2.50 3.50 |
| | | 4.00 | 3.30 |
| THUYA | | | |
| Occ. Nigri | | | |
| 18-24'' | | 1.25 | 1.00 |
| 24-30'' | | 1.50 | 1.25 |
| 30-36'' | | 2.00 | 1.75 |
| Pyramidalis | | | |
| 18-24'' | | 1.25 | 1.00 |
| 24-30'' 30-36'' | | 1.50 2.00 | 1.25 1.75 |
| Spiralis | | 2.00 | 1./5 |
| 15-18'' | | 1.25 | 1.00 |
| 18-24" | | 1.50 | 1.25 |
| 24-30'' 30-36'' | | 1.75 | 1.50 |
| | | 2.00 | 1.75 |



